

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(select\$3 or choos\$3 or pick\$3 or elect\$3 or chosen or choic\$3) with (single adj address with space) with (multiple adj address near3 space)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:46
L2	1	(select\$3 or choos\$3 or pick\$3 or elect\$3 or chosen or choic\$3) with (single adj address near10 (operating adj system)) with (multiple adj address near10 (operating adj system))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:48
L3	6235	(select\$3 or choos\$3 or pick\$3 or elect\$3 or chosen or choic\$3) near5 (operating adj system)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:49
L4	225	dual near5 (operating adj system)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:50
L5	36	3 and 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:12
L6	32028	address adj (space or domain or region)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:13
L7	1272	(private or local) near2 6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:17
L8	1796	(shared or global or common) near2 6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:17
L9	5	("mostly" or primarily) near2 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:18
L10	4	("mostly" or primarily) near2 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:18
L11	1	9 and 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:19
L12	80273	mpas samee mgas	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:19
L13	1	mpas same mgas	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:19

## EAST Search History

L14	1	7 near (mmodel or layout)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:21
L15	1	7 near (model or layout)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:21
L16	10	8 near (model or layout)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 10:22

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(select\$3 or choos\$3 or pick\$3 or elect\$3 or chosen or choic\$3) with (single adj address with space) with (multiple adj address near3 space)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:46
L2	1	(select\$3 or choos\$3 or pick\$3 or elect\$3 or chosen or choic\$3) with (single adj address near10 (operating adj system)) with (multiple adj address near10 (operating adj system))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:48
L3	6235	(select\$3 or choos\$3 or pick\$3 or elect\$3 or chosen or choic\$3) near5 (operating adj system)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:49
L4	225	dual near5 (operating adj system)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:50
L5	36	3 and 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 09:50
S1	50	("6292830" "5440720" "5550750" "5841728" "5918075" "5206834" "5586246" "5590334" "6052763" "6138268" "6170025" "5829032" "6373774" "4831522" "5317706" "5465357" "5495611" "5530840" "5630133" "5640528" "5649198" "5682507" "5687372" "5764889" "5790868" "5850518" "5862328" "5903725" "6105059" "6154818" "6397254" "6408292" "6421705" "6760815" "6874066" "4790025" "4916700" "6128697" "6208569" "5479889" "5699453" "6137745" "4419746" "5987565" "6282621" "6292018" "6070220" "4628451" "5210744" "5311213").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 16:35
S2	1	("20050091439").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/15 16:36



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Fri, 17 Mar 2006, 11:11:00 AM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- [#1](#) ((mpas and mgas)<in>metadata)
- [#2](#) (mostly or primarily) <near> (private or local) <near> (address <near> (space or domain or region))
- [#3](#) (mostly or primarily) <near> (shared or global) <near> (address <near> (space or domain or region))
- [#4](#) #2 <and> #3
- [#5](#) ((mostly or primarily) <near> (private or local) <near> (address <near> (space or domain or region))) <AND> ((mostly or primarily) <near> (shared or global) <near> (address <near> (space or domain or region)))
- [#6](#) (((mostly or primarily) <near> (private or local) <near> (address <near> (space or domain or region))) <near> (model or layout)) <in>metadata
- [#7](#) (((mostly or primarily) <near> (shared or global or common) <near> (address <near> (space or domain or region))) <near> (model or layout))<in>metadata
- [#8](#) (((mostly or primarily) <near> (shared or global or common) <near> (address <near> (space or domain or region))) <near> (model or layout))<in>metadata

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE -